

file name: C:\SCHTUFF\MASS_BAY\MBLT_REPORT\PLOTS2\c3411.txt
date: 23-May-2005
nobs = 2496, ngood = 2495, record length (days) = 104.00
start time: 28-Mar-1990 13:00:00
rayleigh criterion = 1.0
nodal corrections applied to amplitude and phase relative to center time

x0= -0.751, x trend= 0

var(x)= 93.6461 var(xp)= 24.5106 var(xres)= 69.1355
percent var predicted= 26.2 %

x0= 0.885, x trend= 0

var(y)= 67.8067 var(yp)= 6.4561 var(yres)= 61.3506
percent var predicted= 9.5 %

ellipse parameters with 95% CI estimates

tide	freq	major	emaj	minor	emin	inc	einc	pha	epha	snr
MM	0.00151	1.670	2.672	-0.093	2.38	53.48	82.02	205.50	92.05	0.39
MSF	0.00282	1.975	2.941	-0.077	2.04	103.69	59.28	12.55	85.51	0.45
ALP1	0.03440	0.592	0.732	0.168	0.78	55.45	73.53	206.29	69.84	0.65
2Q1	0.03571	0.186	0.748	-0.102	0.76	131.71	321.23	71.28	317.89	0.062
Q1	0.03722	0.494	0.761	-0.020	0.75	137.57	75.21	62.91	76.36	0.42
O1	0.03873	0.689	0.804	-0.053	0.70	18.92	51.99	289.42	59.40	0.73
NO1	0.04027	0.830	0.694	-0.086	0.81	78.60	61.53	98.05	52.73	1.4
K1	0.04178	1.801	0.789	-1.122	0.72	151.37	41.91	29.23	43.64	5.2
J1	0.04329	0.642	0.781	0.268	0.73	147.08	71.65	40.17	75.25	0.68
OO1	0.04483	0.294	0.814	0.027	0.69	171.48	95.13	315.81	111.73	0.13
UPS1	0.04634	0.411	0.732	0.130	0.78	124.47	82.45	186.81	78.43	0.32
EPS2	0.07618	0.773	1.033	-0.094	1.04	144.02	75.50	76.28	74.85	0.56
MU2	0.07769	1.174	1.052	-0.288	1.02	90.51	55.10	47.85	56.52	1.2
N2	0.07900	1.421	1.022	-0.193	1.05	179.76	44.54	327.63	43.32	1.9
M2	0.08051	6.111	1.022	-0.461	1.05	0.60	10.19	188.74	9.90	36
L2	0.08202	1.204	1.029	0.130	1.05	152.52	42.95	349.96	42.26	1.4
S2	0.08333	0.561	1.026	0.185	1.05	160.26	125.92	110.07	123.69	0.3
ETA2	0.08507	0.413	1.050	-0.170	1.02	107.20	123.90	135.58	126.01	0.15
MO3	0.11924	0.684	0.436	0.030	0.52	166.28	39.09	100.45	33.06	2.5
M3	0.12077	0.183	0.435	0.058	0.52	12.60	192.57	339.56	167.38	0.18
MK3	0.12229	0.541	0.480	-0.228	0.47	46.93	62.95	79.86	63.51	1.3
SK3	0.12511	0.475	0.433	0.138	0.52	170.63	64.82	249.13	55.73	1.2
MN4	0.15951	0.381	0.412	0.168	0.39	117.97	83.75	15.24	86.85	0.86
M4	0.16102	0.755	0.387	-0.380	0.41	157.33	48.82	1.68	46.89	3.8
SN4	0.16233	0.324	0.386	0.120	0.42	160.46	91.74	67.76	86.69	0.71
MS4	0.16384	0.578	0.391	-0.378	0.41	150.68	85.67	111.40	83.97	2.2
S4	0.16667	0.375	0.406	0.061	0.40	53.05	62.68	295.23	64.29	0.85
2MK5	0.20280	0.217	0.275	0.038	0.29	27.97	77.47	235.23	73.88	0.62
2SK5	0.20845	0.187	0.287	0.009	0.28	123.80	78.33	302.34	81.06	0.43
2MN6	0.24002	0.302	0.264	0.200	0.20	10.84	97.14	287.35	107.20	1.3
M6	0.24153	0.304	0.245	-0.017	0.23	36.90	46.12	356.76	49.71	1.5
2MS6	0.24436	0.139	0.266	-0.054	0.20	179.29	115.89	192.22	141.68	0.27
2SM6	0.24718	0.192	0.259	-0.093	0.21	19.97	96.88	30.07	110.28	0.55
3MK7	0.28331	0.149	0.168	0.060	0.17	132.23	82.52	68.92	82.69	0.78
M8	0.32205	0.174	0.113	0.005	0.11	172.01	40.20	198.20	40.76	2.4

total var= 161.4528 pred var= 30.9668
percent total var predicted= 19.2 %

file name: C:\SCHTUFF\MASS_BAY\MBLT_REPORT\PLOTS2\c3481.txt
date: 23-May-2005
nobs = 966, ngood = 965, record length (days) = 40.25
start time: 10-Jul-1990 15:00:00
rayleigh criterion = 1.0
nodal corrections applied to amplitude and phase relative to center time

x0= 0.494, x trend= 0

var(x)= 74.2 var(xp)= 36.5395 var(xres)= 37.6605
percent var predicted= 49.2 %

x0= -1.73, x trend= 0

var(y)= 87.0513 var(yp)= 29.9055 var(yres)= 57.1458
percent var predicted= 34.4 %

ellipse parameters with 95% CI estimates

tide	freq	major	emaj	minor	emin	inc	einc	pha	epha	snr
MM	0.00151	5.718	3.248	-0.293	2.72	90.67	27.37	5.49	32.66	3.1
MSF	0.00282	3.680	3.246	1.928	2.72	86.93	68.85	82.55	76.08	1.3
ALP1	0.03440	0.393	0.564	0.008	0.72	116.78	91.11	355.02	71.88	0.48
2Q1	0.03571	0.874	0.676	0.316	0.61	142.55	42.08	221.81	45.53	1.7
Q1	0.03722	0.646	0.635	0.226	0.65	132.99	60.53	65.71	59.24	1
O1	0.03873	1.254	0.755	-0.370	0.51	9.10	24.68	259.32	34.12	2.8
NO1	0.04027	1.878	0.737	-0.347	0.54	19.03	22.23	276.09	29.91	6.5
K1	0.04178	1.506	0.507	-0.896	0.76	97.28	44.50	145.74	37.05	8.8
J1	0.04329	1.306	0.756	0.120	0.51	172.65	18.83	164.38	27.87	3
OO1	0.04483	0.887	0.698	0.087	0.59	148.21	28.37	42.30	33.73	1.6
UPS1	0.04634	0.387	0.671	-0.011	0.62	141.19	61.94	141.07	67.37	0.33
EPS2	0.07618	0.967	0.975	-0.402	0.94	16.39	69.81	91.36	71.51	0.98
MU2	0.07769	1.088	0.968	-0.146	0.95	30.25	51.54	176.00	52.54	1.3
N2	0.07900	3.617	0.975	-1.650	0.94	163.29	21.27	275.87	21.75	14
M2	0.08051	6.465	0.977	1.799	0.94	6.64	9.61	189.23	9.94	44
L2	0.08202	0.671	0.966	0.091	0.95	145.43	67.42	33.46	68.37	0.48
S2	0.08333	3.497	0.978	-1.506	0.94	4.83	20.67	177.31	21.25	13
ETA2	0.08507	0.732	0.960	-0.603	0.96	136.59	202.94	138.02	203.03	0.58
MO3	0.11924	0.491	0.283	-0.327	0.38	162.43	79.90	59.92	71.79	3
M3	0.12077	0.741	0.377	-0.220	0.28	106.69	26.64	45.67	33.88	3.9
MK3	0.12229	0.457	0.375	-0.112	0.29	108.97	37.87	78.24	48.18	1.5
SK3	0.12511	0.210	0.292	-0.081	0.37	156.62	115.35	5.17	97.09	0.52
MN4	0.15951	0.384	0.349	-0.019	0.31	10.70	47.88	61.46	54.61	1.2
M4	0.16102	1.547	0.344	-0.688	0.31	22.90	16.76	65.48	17.90	20
SN4	0.16233	0.386	0.351	0.244	0.30	178.11	95.25	39.73	101.17	1.2
MS4	0.16384	0.282	0.306	-0.008	0.35	78.33	72.57	60.51	63.72	0.84
S4	0.16667	0.307	0.305	-0.097	0.35	97.81	74.81	329.94	66.88	1
2MK5	0.20280	0.302	0.235	-0.037	0.22	19.58	40.67	244.76	44.13	1.7
2SK5	0.20845	0.175	0.219	-0.085	0.23	118.26	101.56	90.75	97.88	0.64
2MN6	0.24002	0.290	0.215	-0.264	0.22	26.75	371.88	333.86	371.16	1.8
M6	0.24153	0.733	0.217	-0.213	0.22	47.93	20.60	9.97	20.66	11
2MS6	0.24436	0.428	0.214	-0.267	0.22	21.19	58.54	100.30	57.87	4
2SM6	0.24718	0.137	0.214	-0.042	0.22	16.21	107.69	245.92	105.05	0.41
3MK7	0.28331	0.100	0.144	-0.033	0.14	45.17	96.10	272.61	96.12	0.49
M8	0.32205	0.190	0.115	-0.103	0.11	49.41	60.69	276.93	60.75	2.7

total var= 161.2513 pred var= 66.445
percent total var predicted= 41.2 %

file name: C:\SCHTUFF\MASS_BAY\MBLT_REPORT\PLOTS2\c3591.txt
date: 23-May-2005
nobs = 2695, ngood = 2695, record length (days) = 112.29
start time: 23-Oct-1990 15:00:00
rayleigh criterion = 1.0
nodal corrections applied to amplitude and phase relative to center time

x0= 1.09, x trend= 0

var(x)= 63.0635 var(xp)= 50.9619 var(xres)= 12.1016
percent var predicted= 80.8 %

x0= -0.681, x trend= 0

var(y)= 30.5592 var(yp)= 4.5635 var(yres)= 25.9957
percent var predicted= 14.9 %

ellipse parameters with 95% CI estimates

tide	freq	major	emaj	minor	emin	inc	einc	pha	epha	snr
MM	0.00151	1.632	0.906	0.639	0.84	48.87	37.90	27.94	40.00	3.2
MSF	0.00282	0.865	0.799	-0.342	0.94	143.86	78.13	3.21	69.20	1.2
ALP1	0.03440	0.319	0.332	-0.101	0.34	150.19	62.91	263.35	61.62	0.93
2Q1	0.03571	0.167	0.341	-0.033	0.33	115.99	103.56	7.68	106.58	0.24
Q1	0.03722	0.451	0.344	-0.152	0.33	102.06	44.00	80.69	45.64	1.7
O1	0.03873	0.407	0.327	-0.117	0.34	4.05	49.18	291.81	47.14	1.5
NO1	0.04027	0.329	0.342	-0.034	0.33	112.24	99.03	127.64	102.58	0.93
K1	0.04178	0.637	0.327	0.015	0.34	0.28	29.04	297.74	27.61	3.8
J1	0.04329	0.318	0.331	-0.286	0.34	152.71	353.96	81.43	352.86	0.92
OO1	0.04483	0.363	0.344	-0.064	0.33	94.85	44.18	311.60	46.29	1.1
UPS1	0.04634	0.238	0.340	-0.181	0.33	57.73	172.75	132.34	173.76	0.49
EPS2	0.07618	0.204	0.293	0.130	0.25	113.23	140.60	204.55	149.48	0.49
MU2	0.07769	0.379	0.244	-0.026	0.30	174.62	45.65	341.56	37.07	2.4
N2	0.07900	2.668	0.247	-0.294	0.30	13.95	6.64	171.86	5.52	1.2e+002
M2	0.08051	9.940	0.246	-0.992	0.30	12.40	1.78	203.45	1.47	1.6e+003
L2	0.08202	0.585	0.244	0.130	0.30	174.07	24.29	88.27	20.10	5.8
S2	0.08333	1.571	0.244	-0.364	0.30	6.69	11.77	232.54	9.77	41
ETA2	0.08507	0.133	0.282	-0.024	0.27	126.92	83.21	138.72	87.91	0.22
MO3	0.11924	0.118	0.109	-0.022	0.13	72.04	60.80	178.47	51.40	1.2
M3	0.12077	0.099	0.132	-0.042	0.11	170.20	88.39	165.59	102.04	0.56
MK3	0.12229	0.103	0.106	-0.053	0.13	86.80	103.34	297.77	90.91	0.94
SK3	0.12511	0.085	0.120	-0.023	0.12	45.92	84.63	15.48	84.11	0.51
MN4	0.15951	0.213	0.103	0.041	0.12	173.34	33.91	262.13	30.53	4.3
M4	0.16102	0.393	0.106	-0.013	0.11	32.26	16.90	104.10	16.08	14
SN4	0.16233	0.087	0.104	0.016	0.11	163.82	80.17	92.97	73.18	0.71
MS4	0.16384	0.182	0.104	-0.027	0.11	22.45	37.58	135.49	34.74	3
S4	0.16667	0.088	0.103	-0.023	0.12	176.69	82.68	328.67	74.80	0.74
2MK5	0.20280	0.054	0.068	-0.000	0.07	103.71	76.08	221.06	70.01	0.63
2SK5	0.20845	0.065	0.070	-0.030	0.07	50.50	81.42	1.84	80.48	0.86
2MN6	0.24002	0.325	0.075	0.100	0.07	35.84	16.04	310.01	16.08	19
M6	0.24153	0.441	0.075	0.087	0.07	33.12	10.83	352.83	10.87	35
2MS6	0.24436	0.113	0.075	0.078	0.07	24.57	89.95	35.32	90.13	2.3
2SM6	0.24718	0.038	0.074	0.019	0.07	84.12	170.24	240.89	169.39	0.26
3MK7	0.28331	0.075	0.062	0.023	0.05	17.55	44.71	82.82	54.00	1.4
M8	0.32205	0.062	0.043	0.018	0.04	24.75	44.47	11.87	47.88	2.1

total var= 93.6228 pred var= 55.5255
percent total var predicted= 59.3 %

file name: C:\SCHTUFF\MASS_BAY\MBLT_REPORT\PLOTS2\c3751.txt
date: 23-May-2005
nobs = 2850, ngood = 2849, record length (days) = 118.75
start time: 13-Feb-1991
rayleigh criterion = 1.0
nodal corrections applied to amplitude and phase relative to center time

x0= 0.589, x trend= 0

var(x)= 97.2865 var(xp)= 42.9021 var(xres)= 54.3845
percent var predicted= 44.1 %

x0= -1.06, x trend= 0

var(y)= 63.5979 var(yp)= 8.1798 var(yres)= 55.4182
percent var predicted= 12.9 %

ellipse parameters with 95% CI estimates

tide	freq	major	emaj	minor	emin	inc	einc	pha	epha	snr
MM	0.00151	1.614	1.989	0.055	2.08	43.41	73.90	20.28	70.72	0.66
MSF	0.00282	1.658	2.428	-0.476	1.54	61.13	63.75	32.26	92.93	0.47
ALP1	0.03440	0.432	0.708	-0.173	0.68	142.17	104.37	211.15	107.22	0.37
2Q1	0.03571	0.791	0.743	-0.412	0.64	7.97	65.28	20.74	70.94	1.1
Q1	0.03722	0.433	0.721	-0.000	0.67	29.43	79.20	35.76	85.62	0.36
O1	0.03873	0.719	0.676	-0.325	0.71	55.38	70.78	291.82	68.33	1.1
NO1	0.04027	0.703	0.683	-0.307	0.71	128.27	130.08	218.55	127.02	1.1
K1	0.04178	1.720	0.641	-1.216	0.74	86.31	54.94	88.07	52.28	7.2
J1	0.04329	0.722	0.661	-0.336	0.73	115.10	68.14	86.12	64.05	1.2
OO1	0.04483	0.576	0.641	-0.170	0.75	90.69	71.53	222.97	63.01	0.81
UPS1	0.04634	0.521	0.700	-0.383	0.69	138.04	155.22	9.49	155.96	0.55
EPS2	0.07618	0.401	0.653	-0.190	0.83	112.18	154.62	280.02	132.81	0.38
MU2	0.07769	0.591	0.620	-0.103	0.86	99.85	86.08	84.36	63.45	0.91
N2	0.07900	2.829	0.863	-0.480	0.61	4.43	13.39	173.97	18.47	11
M2	0.08051	8.799	0.848	-0.060	0.63	15.99	4.19	196.94	5.60	1.e+002
L2	0.08202	0.473	0.707	-0.129	0.79	54.36	82.89	302.74	75.56	0.45
S2	0.08333	1.546	0.863	0.283	0.61	5.47	24.28	224.71	33.32	3.2
ETA2	0.08507	0.243	0.687	0.083	0.81	120.91	159.51	243.81	140.73	0.12
MO3	0.11924	0.112	0.220	0.086	0.25	22.64	339.94	224.35	329.47	0.26
M3	0.12077	0.139	0.252	0.007	0.22	78.69	90.78	198.01	106.20	0.31
MK3	0.12229	0.120	0.252	0.004	0.22	77.73	99.25	167.08	115.89	0.23
SK3	0.12511	0.142	0.214	0.031	0.25	176.53	103.26	230.63	88.54	0.44
MN4	0.15951	0.228	0.191	0.049	0.19	33.30	54.16	114.13	53.38	1.4
M4	0.16102	0.522	0.189	-0.023	0.20	169.32	22.20	299.51	21.38	7.7
SN4	0.16233	0.283	0.193	-0.002	0.19	53.04	39.39	115.25	39.83	2.1
MS4	0.16384	0.281	0.191	-0.061	0.19	38.04	42.82	176.37	42.45	2.2
S4	0.16667	0.127	0.196	-0.014	0.19	104.17	86.86	152.68	89.93	0.42
2MK5	0.20280	0.062	0.133	0.046	0.10	97.69	271.34	300.98	295.02	0.22
2SK5	0.20845	0.146	0.122	0.010	0.11	51.40	42.63	289.55	45.40	1.4
2MN6	0.24002	0.247	0.102	0.002	0.11	49.81	25.82	334.42	24.95	5.8
M6	0.24153	0.582	0.106	0.069	0.10	40.66	10.79	359.26	11.12	30
2MS6	0.24436	0.236	0.100	0.084	0.11	57.18	32.75	34.40	30.67	5.6
2SM6	0.24718	0.152	0.093	-0.051	0.11	91.91	51.31	144.15	43.53	2.7
3MK7	0.28331	0.085	0.095	0.016	0.08	87.37	53.96	72.19	66.42	0.8
M8	0.32205	0.053	0.064	-0.024	0.06	121.29	97.37	151.77	99.96	0.68

total var= 160.8845 pred var= 51.0818
percent total var predicted= 31.8 %

file name: C:\SCHTUFF\MASS_BAY\MBLT_REPORT\PLOTS2\c3841.txt
date: 23-May-2005
nobs = 2511, ngood = 2511, record length (days) = 104.63
start time: 11-Jun-1991 20:00:00
rayleigh criterion = 1.0
nodal corrections applied to amplitude and phase relative to center time

x0= -0.898, x trend= 0

var(x)= 73.9242 var(xp)= 22.444 var(xres)= 51.4802
percent var predicted= 30.4 %

x0= 2.73, x trend= 0

var(y)= 81.0021 var(yp)= 9.979 var(yres)= 71.0231
percent var predicted= 12.3 %

ellipse parameters with 95% CI estimates

tide	freq	major	emaj	minor	emin	inc	einc	pha	epha	snr
MM	0.00151	2.852	3.275	0.003	2.09	114.15	41.93	247.27	65.78	0.76
MSF	0.00282	2.107	3.501	-0.105	1.68	85.15	46.05	47.05	95.49	0.36
ALP1	0.03440	0.524	0.574	0.226	0.69	165.57	89.12	110.49	78.97	0.83
2Q1	0.03571	0.630	0.667	-0.281	0.60	117.64	67.65	178.66	73.01	0.89
Q1	0.03722	0.248	0.678	-0.140	0.58	110.50	215.51	284.83	233.10	0.13
O1	0.03873	1.008	0.579	-0.176	0.68	161.63	37.38	89.29	32.11	3
NO1	0.04027	1.196	0.633	-0.075	0.63	134.61	41.63	334.78	41.75	3.6
K1	0.04178	2.081	0.608	-1.254	0.66	146.15	30.98	120.27	29.90	12
J1	0.04329	0.122	0.691	-0.087	0.57	82.74	633.30	202.73	674.02	0.031
OO1	0.04483	0.355	0.680	-0.121	0.58	70.78	99.55	359.24	112.76	0.27
UPS1	0.04634	0.383	0.599	-0.319	0.66	150.26	317.19	8.30	311.42	0.41
EPS2	0.07618	0.864	1.059	-0.191	0.98	31.29	66.42	158.98	71.15	0.67
MU2	0.07769	0.613	1.051	-0.248	0.99	34.20	119.55	135.26	124.88	0.34
N2	0.07900	1.572	1.087	0.429	0.95	162.33	39.81	308.53	44.71	2.1
M2	0.08051	5.576	1.101	1.455	0.93	3.53	10.89	191.48	12.57	26
L2	0.08202	0.520	0.941	-0.269	1.09	102.26	147.65	291.52	135.36	0.31
S2	0.08333	0.884	1.096	0.023	0.94	168.75	60.96	56.98	71.05	0.65
ETA2	0.08507	0.633	1.069	-0.266	0.97	27.12	86.89	210.47	92.96	0.35
MO3	0.11924	0.120	0.259	-0.082	0.25	170.58	260.35	265.10	262.97	0.21
M3	0.12077	0.236	0.259	-0.085	0.25	172.66	76.06	250.51	77.74	0.83
MK3	0.12229	0.079	0.255	0.027	0.26	46.59	212.70	100.74	212.43	0.097
SK3	0.12511	0.171	0.255	0.036	0.26	131.39	87.51	324.03	87.22	0.45
MN4	0.15951	0.463	0.228	-0.232	0.23	33.47	44.14	45.64	43.54	4.1
M4	0.16102	1.065	0.224	-0.675	0.24	12.45	25.35	113.72	24.79	23
SN4	0.16233	0.333	0.228	-0.040	0.23	35.51	41.46	108.97	40.71	2.1
MS4	0.16384	0.463	0.224	-0.251	0.24	11.01	47.25	163.23	45.89	4.3
S4	0.16667	0.243	0.233	-0.113	0.23	54.00	75.57	141.26	76.45	1.1
2MK5	0.20280	0.122	0.114	0.049	0.14	110.19	80.82	122.98	69.60	1.1
2SK5	0.20845	0.092	0.121	-0.016	0.14	57.16	83.52	353.51	75.20	0.58
2MN6	0.24002	0.447	0.119	-0.172	0.12	45.77	19.98	329.06	19.95	14
M6	0.24153	0.619	0.118	-0.058	0.12	51.55	11.61	14.57	11.44	27
2MS6	0.24436	0.275	0.118	-0.122	0.12	51.93	34.84	61.29	34.48	5.4
2SM6	0.24718	0.072	0.117	-0.046	0.12	59.13	190.31	94.42	187.83	0.38
3MK7	0.28331	0.061	0.091	-0.037	0.09	143.73	154.43	215.28	154.20	0.45
M8	0.32205	0.101	0.067	-0.083	0.07	140.26	163.79	64.01	164.41	2.3

total var= 154.9264 pred var= 32.423
percent total var predicted= 20.9 %

file name: C:\SCHTUFF\MASS_BAY\MBLT_REPORT\PLOTS2\c3971.txt
date: 23-May-2005
nobs = 2679, ngood = 2679, record length (days) = 111.63
start time: 11-Feb-1992 23:00:00
rayleigh criterion = 1.0
nodal corrections applied to amplitude and phase relative to center time

x0= 0.485, x trend= 0

var(x)= 109.7276 var(xp)= 65.8669 var(xres)= 43.8607
percent var predicted= 60.0 %

x0= 0.786, x trend= 0

var(y)= 99.8819 var(yp)= 11.6445 var(yres)= 88.2374
percent var predicted= 11.7 %

ellipse parameters with 95% CI estimates

tide	freq	major	emaj	minor	emin	inc	einc	pha	epha	snr
MM	0.00151	3.297	3.209	-1.739	1.56	80.02	55.47	95.78	79.76	1.1
MSF	0.00282	0.656	2.126	-0.148	2.87	148.14	267.77	77.59	204.75	0.095
ALP1	0.03440	0.368	0.647	0.122	0.49	94.02	89.19	339.64	110.77	0.32
2Q1	0.03571	0.335	0.499	-0.018	0.64	168.49	103.65	336.60	80.63	0.45
Q1	0.03722	0.156	0.556	0.092	0.59	141.93	365.94	250.28	354.79	0.079
O1	0.03873	1.039	0.517	-0.545	0.63	22.39	50.27	292.95	45.09	4
NO1	0.04027	0.633	0.492	-0.207	0.65	1.91	60.16	320.33	48.28	1.7
K1	0.04178	1.453	0.593	-0.919	0.56	128.21	43.10	63.26	44.28	6
J1	0.04329	0.569	0.631	-0.237	0.51	110.53	65.09	332.92	75.16	0.81
OO1	0.04483	0.733	0.513	-0.235	0.63	159.95	49.31	128.78	41.65	2
UPS1	0.04634	0.574	0.580	-0.478	0.57	46.75	207.91	13.85	208.53	0.98
EPS2	0.07618	0.403	0.640	0.009	0.52	72.41	70.47	183.52	87.17	0.4
MU2	0.07769	0.855	0.645	-0.593	0.51	103.21	86.62	31.33	93.92	1.8
N2	0.07900	2.726	0.501	0.316	0.65	178.94	14.01	331.49	10.85	30
M2	0.08051	10.907	0.511	-0.897	0.64	13.46	3.42	198.06	2.72	4.6e+002
L2	0.08202	0.722	0.512	-0.387	0.64	165.50	79.17	80.47	69.87	2
S2	0.08333	1.953	0.518	0.076	0.64	17.99	18.78	242.24	15.22	14
ETA2	0.08507	0.132	0.502	-0.102	0.65	178.44	683.54	78.15	640.63	0.069
MO3	0.11924	0.145	0.248	0.044	0.18	89.95	80.16	229.83	106.66	0.34
M3	0.12077	0.287	0.225	-0.009	0.21	127.22	41.17	335.15	45.03	1.6
MK3	0.12229	0.215	0.248	-0.089	0.18	85.57	63.93	117.59	81.14	0.75
SK3	0.12511	0.240	0.225	-0.133	0.20	53.15	81.01	323.36	85.12	1.1
MN4	0.15951	0.199	0.148	-0.022	0.14	10.62	42.71	58.80	43.76	1.8
M4	0.16102	0.698	0.148	-0.433	0.14	7.49	22.90	136.15	23.17	22
SN4	0.16233	0.126	0.148	-0.011	0.14	5.97	66.49	132.76	68.24	0.73
MS4	0.16384	0.304	0.147	-0.212	0.14	25.29	65.68	216.62	66.07	4.2
S4	0.16667	0.168	0.144	-0.070	0.15	107.29	65.64	236.82	64.63	1.4
2MK5	0.20280	0.092	0.102	0.045	0.11	34.59	99.34	135.88	93.55	0.82
2SK5	0.20845	0.065	0.102	-0.054	0.11	34.63	370.90	33.77	363.93	0.41
2MN6	0.24002	0.227	0.083	-0.001	0.09	59.44	22.45	302.91	21.04	7.6
M6	0.24153	0.537	0.085	0.059	0.09	47.80	9.40	4.48	9.28	40
2MS6	0.24436	0.183	0.083	-0.016	0.09	54.96	27.83	66.40	26.60	4.8
2SM6	0.24718	0.104	0.091	-0.060	0.08	8.23	78.96	87.46	84.25	1.3
3MK7	0.28331	0.067	0.064	-0.012	0.07	56.76	61.11	227.81	56.38	1.1
M8	0.32205	0.082	0.053	0.023	0.05	3.00	36.70	328.26	41.54	2.4

total var= 209.6095 pred var= 77.5114
percent total var predicted= 37.0 %

file name: C:\SCHTUFF\MASS_BAY\MBLT_REPORT\PLOTS2\c4011.txt
date: 23-May-2005
nobs = 3378, ngood = 3377, record length (days) = 140.75
start time: 02-Jun-1992 21:00:00
rayleigh criterion = 1.0
nodal corrections applied to amplitude and phase relative to center time

x0= 0.117, x trend= 0

var(x)= 76.6286 var(xp)= 34.5725 var(xres)= 42.0561
percent var predicted= 45.1 %

x0= 0.32, x trend= 0

var(y)= 67.4945 var(yp)= 8.1041 var(yres)= 59.3904
percent var predicted= 12.0 %

ellipse parameters with 95% CI estimates

tide	freq	major	emaj	minor	emin	inc	einc	pha	epha	snr
MM	0.00151	1.903	1.588	-0.156	0.95	66.83	29.11	95.21	48.20	1.4
MSF	0.00282	2.637	1.515	-0.728	1.06	120.13	26.89	317.37	36.29	3
ALP1	0.03440	0.371	0.469	-0.091	0.52	164.23	85.48	53.87	77.43	0.63
2Q1	0.03571	0.608	0.504	-0.209	0.49	50.93	53.51	56.84	54.65	1.5
Q1	0.03722	0.378	0.528	-0.198	0.46	86.18	109.60	126.86	118.02	0.51
O1	0.03873	0.976	0.478	-0.389	0.52	26.98	37.92	205.90	35.87	4.2
NO1	0.04027	0.388	0.516	-0.121	0.48	62.86	65.16	15.57	69.38	0.57
K1	0.04178	1.480	0.499	-1.266	0.49	132.95	93.22	118.86	93.36	8.8
J1	0.04329	0.407	0.469	-0.287	0.52	16.13	166.54	343.74	160.49	0.75
OO1	0.04483	0.464	0.486	-0.282	0.51	145.01	100.43	302.30	98.38	0.91
UPS1	0.04634	0.401	0.464	-0.338	0.53	4.77	292.12	132.81	285.87	0.75
EPS2	0.07618	0.627	0.681	-0.252	0.77	73.23	86.06	145.97	78.74	0.85
MU2	0.07769	0.280	0.750	0.115	0.70	147.98	187.69	242.69	196.47	0.14
N2	0.07900	1.696	0.770	0.387	0.68	163.16	24.99	312.74	27.92	4.9
M2	0.08051	7.569	0.775	0.918	0.67	170.54	5.22	348.36	5.98	95
L2	0.08202	0.292	0.753	0.161	0.70	29.76	265.02	207.13	275.84	0.15
S2	0.08333	1.266	0.772	0.110	0.68	165.77	31.06	20.50	35.30	2.7
ETA2	0.08507	0.372	0.756	-0.173	0.70	152.13	137.76	308.03	145.32	0.24
MO3	0.11924	0.379	0.200	-0.090	0.19	5.89	30.13	341.60	32.26	3.6
M3	0.12077	0.186	0.200	0.058	0.19	9.37	66.51	225.80	70.66	0.87
MK3	0.12229	0.419	0.197	-0.336	0.19	29.42	92.74	163.29	93.55	4.5
SK3	0.12511	0.339	0.196	-0.111	0.19	148.29	37.37	23.33	38.43	3
MN4	0.15951	0.431	0.163	-0.277	0.13	11.72	38.53	62.24	41.69	7
M4	0.16102	0.961	0.163	-0.453	0.13	11.64	11.83	102.99	13.36	35
SN4	0.16233	0.245	0.137	-0.187	0.16	107.57	108.11	63.43	103.43	3.2
MS4	0.16384	0.385	0.162	-0.073	0.14	17.58	21.57	125.16	25.26	5.7
S4	0.16667	0.135	0.142	-0.017	0.16	59.95	68.44	191.79	61.94	0.9
2MK5	0.20280	0.165	0.114	-0.107	0.12	88.78	84.21	37.92	82.03	2.1
2SK5	0.20845	0.048	0.117	-0.025	0.12	55.56	213.67	150.01	210.80	0.17
2MN6	0.24002	0.444	0.099	-0.056	0.10	41.37	12.97	335.28	13.02	20
M6	0.24153	0.572	0.099	-0.017	0.10	42.70	9.87	9.41	9.90	33
2MS6	0.24436	0.247	0.100	-0.037	0.10	34.04	23.50	50.36	23.75	6.2
2SM6	0.24718	0.086	0.101	-0.031	0.10	1.99	80.29	185.80	82.12	0.73
3MK7	0.28331	0.079	0.080	-0.073	0.08	138.93	503.01	336.02	503.09	1
M8	0.32205	0.111	0.051	-0.059	0.05	7.92	39.55	321.51	40.92	4.8

total var= 144.1231 pred var= 42.6766
percent total var predicted= 29.6 %

file name: C:\SCHTUFF\MASS_BAY\MBLT_REPORT\PLOTS2\c4081.txt
date: 23-May-2005
nobs = 1341, ngood = 1341, record length (days) = 55.88
start time: 21-Oct-1992 17:00:00
rayleigh criterion = 1.0
nodal corrections applied to amplitude and phase relative to center time

x0= 1.15, x trend= 0

var(x)= 59.8291 var(xp)= 49.1264 var(xres)= 10.7028
percent var predicted= 82.1 %

x0= -1.04, x trend= 0

var(y)= 32.1526 var(yp)= 7.6923 var(yres)= 24.4604
percent var predicted= 23.9 %

ellipse parameters with 95% CI estimates

tide	freq	major	emaj	minor	emin	inc	einc	pha	epha	snr
MM	0.00151	1.556	1.891	0.195	1.25	60.97	47.47	174.58	70.98	0.68
MSF	0.00282	1.370	1.955	-0.466	1.15	114.51	62.63	218.72	94.24	0.49
ALP1	0.03440	0.603	0.310	-0.153	0.39	176.01	39.86	271.22	32.74	3.8
2Q1	0.03571	0.447	0.327	-0.020	0.37	153.71	47.37	252.28	41.35	1.9
Q1	0.03722	0.474	0.385	-0.005	0.31	76.61	37.87	71.03	46.34	1.5
O1	0.03873	0.741	0.329	-0.116	0.37	151.64	29.98	74.53	26.66	5.1
NO1	0.04027	0.157	0.312	0.081	0.39	9.21	156.46	54.52	138.31	0.25
K1	0.04178	0.415	0.328	0.061	0.37	27.55	53.05	316.18	46.91	1.6
J1	0.04329	0.564	0.327	-0.294	0.37	153.63	56.59	340.30	52.36	3
OO1	0.04483	0.285	0.317	-0.095	0.38	162.80	79.91	282.13	68.88	0.81
UPS1	0.04634	0.240	0.356	-0.089	0.35	131.46	96.80	344.58	98.83	0.45
EPS2	0.07618	0.363	0.400	-0.106	0.46	152.65	80.85	4.20	71.19	0.82
MU2	0.07769	0.695	0.409	-0.145	0.46	32.27	39.68	208.20	35.81	2.9
N2	0.07900	2.538	0.375	-0.603	0.48	7.41	11.71	159.85	9.32	46
M2	0.08051	9.569	0.385	-0.644	0.48	17.52	2.86	203.74	2.31	6.2e+002
L2	0.08202	1.010	0.442	-0.545	0.42	130.48	48.98	123.26	50.09	5.2
S2	0.08333	1.082	0.373	0.074	0.49	178.28	25.92	44.41	19.93	8.4
ETA2	0.08507	0.744	0.455	-0.166	0.41	123.31	32.86	198.11	36.08	2.7
MO3	0.11924	0.377	0.192	-0.079	0.23	1.19	37.42	3.86	31.59	3.8
M3	0.12077	0.303	0.213	-0.010	0.21	135.32	39.96	72.39	39.88	2
MK3	0.12229	0.266	0.219	-0.004	0.21	124.96	44.19	7.54	47.07	1.5
SK3	0.12511	0.142	0.198	0.033	0.23	159.46	98.45	128.95	86.89	0.52
MN4	0.15951	0.239	0.132	0.097	0.19	11.88	56.42	153.55	43.31	3.3
M4	0.16102	0.373	0.193	0.198	0.13	80.88	34.99	201.90	43.27	3.8
SN4	0.16233	0.159	0.132	-0.001	0.19	167.46	68.46	277.90	47.18	1.5
MS4	0.16384	0.263	0.128	0.011	0.19	178.55	42.15	285.75	27.88	4.2
S4	0.16667	0.215	0.172	-0.001	0.16	52.23	41.73	227.86	46.05	1.5
2MK5	0.20280	0.041	0.093	0.022	0.11	97.60	229.83	274.28	214.60	0.19
2SK5	0.20845	0.163	0.104	-0.060	0.09	157.97	41.15	159.27	44.23	2.5
2MN6	0.24002	0.240	0.081	-0.017	0.08	32.67	18.25	270.00	19.08	8.8
M6	0.24153	0.394	0.082	0.095	0.08	25.58	11.95	354.85	12.69	23
2MS6	0.24436	0.096	0.078	-0.043	0.08	53.24	65.17	22.14	63.87	1.5
2SM6	0.24718	0.082	0.080	-0.036	0.08	38.25	73.92	304.33	75.18	1.1
3MK7	0.28331	0.071	0.066	0.011	0.07	132.80	54.58	165.90	54.49	1.1
M8	0.32205	0.064	0.049	-0.036	0.05	86.57	74.18	158.49	72.03	1.7

total var= 91.9818 pred var= 56.8186
percent total var predicted= 61.8 %

file name: C:\SCHTUFF\MASS_BAY\MBLT_REPORT\PLOTS2\c4211.txt
date: 23-May-2005
nobs = 2688, ngood = 2687, record length (days) = 112.00
start time: 15-Jun-1993 16:00:00
rayleigh criterion = 1.0
nodal corrections applied to amplitude and phase relative to center time

x0= -0.219, x trend= 0

var(x)= 99.5376 var(xp)= 42.9301 var(xres)= 56.6075
percent var predicted= 43.1 %

x0= 1.96, x trend= 0

var(y)= 78.4848 var(yp)= 11.7713 var(yres)= 66.7135
percent var predicted= 15.0 %

ellipse parameters with 95% CI estimates

tide	freq	major	emaj	minor	emin	inc	einc	pha	epha	snr
MM	0.00151	2.050	2.365	-0.413	1.36	95.14	41.86	233.89	69.36	0.75
MSF	0.00282	2.279	2.252	0.192	1.54	112.40	39.21	317.17	57.10	1
ALP1	0.03440	0.293	0.602	-0.108	0.61	37.73	153.53	154.15	152.90	0.24
2Q1	0.03571	0.508	0.601	-0.117	0.61	30.37	78.24	208.80	77.51	0.71
Q1	0.03722	0.537	0.603	-0.292	0.61	39.34	110.24	289.93	109.98	0.79
O1	0.03873	1.066	0.598	-0.101	0.61	15.11	35.04	271.40	34.40	3.2
NO1	0.04027	0.243	0.603	-0.004	0.60	41.20	109.21	356.41	108.90	0.16
K1	0.04178	2.134	0.603	-1.509	0.61	141.45	40.90	117.78	40.84	13
J1	0.04329	0.945	0.610	-0.527	0.60	97.44	64.06	139.21	64.76	2.4
OO1	0.04483	0.731	0.598	-0.466	0.61	1.28	97.63	332.74	96.75	1.5
UPS1	0.04634	0.606	0.599	-0.300	0.61	17.17	96.62	226.57	95.59	1
EPS2	0.07618	1.004	0.787	-0.588	0.73	9.54	75.03	124.02	77.96	1.6
MU2	0.07769	1.636	0.789	-0.828	0.73	1.94	38.58	187.66	40.52	4.3
N2	0.07900	1.957	0.777	0.111	0.74	154.68	21.36	322.80	22.50	6.3
M2	0.08051	8.078	0.786	1.399	0.73	168.00	5.34	350.71	5.74	1.1e+002
L2	0.08202	1.546	0.742	-1.167	0.77	119.61	99.18	271.47	98.04	4.3
S2	0.08333	1.883	0.776	-0.409	0.74	153.45	24.22	19.70	25.35	5.9
ETA2	0.08507	0.734	0.788	-0.579	0.73	175.78	226.56	253.53	230.92	0.87
MO3	0.11924	0.106	0.330	0.072	0.33	124.22	411.87	85.69	412.53	0.1
M3	0.12077	0.220	0.329	-0.037	0.33	150.28	88.19	208.31	87.69	0.45
MK3	0.12229	0.491	0.328	-0.272	0.33	9.73	64.73	176.78	64.35	2.2
SK3	0.12511	0.336	0.332	-0.190	0.33	98.31	98.02	273.24	98.59	1
MN4	0.15951	0.444	0.199	-0.128	0.23	176.53	32.08	271.32	28.69	5
M4	0.16102	1.298	0.199	-0.244	0.23	3.09	10.26	96.76	9.07	42
SN4	0.16233	0.285	0.204	-0.038	0.22	24.07	45.24	106.29	41.53	2
MS4	0.16384	0.509	0.201	-0.280	0.23	14.31	40.14	141.48	37.72	6.4
S4	0.16667	0.178	0.202	-0.043	0.22	161.19	78.63	40.11	71.62	0.78
2MK5	0.20280	0.180	0.147	-0.055	0.17	70.91	59.95	50.74	54.30	1.5
2SK5	0.20845	0.120	0.163	0.012	0.15	25.29	74.40	262.96	81.75	0.54
2MN6	0.24002	0.400	0.145	-0.062	0.15	44.00	20.72	340.22	20.60	7.6
M6	0.24153	0.638	0.147	0.015	0.14	47.85	12.43	8.52	12.64	19
2MS6	0.24436	0.184	0.146	-0.117	0.14	47.02	86.81	44.68	87.24	1.6
2SM6	0.24718	0.169	0.146	-0.046	0.15	134.48	54.33	66.85	54.47	1.3
3MK7	0.28331	0.134	0.111	-0.037	0.11	151.19	50.37	257.99	52.51	1.4
M8	0.32205	0.068	0.076	-0.003	0.08	126.13	60.95	106.77	60.15	0.82

total var= 178.0224 pred var= 54.7014
percent total var predicted= 30.7 %

file name: C:\SCHTUFF\MASS_BAY\MBLT_REPORT\PLOTS2\c4291.txt
date: 23-May-2005
nobs = 3189, ngood = 3189, record length (days) = 132.88
start time: 05-Oct-1993 17:00:00
rayleigh criterion = 1.0
nodal corrections applied to amplitude and phase relative to center time

x0= 1.56, x trend= 0

var(x)= 77.5633 var(xp)= 62.5811 var(xres)= 14.9822
percent var predicted= 80.7 %

x0= 1.13, x trend= 0

var(y)= 28.317 var(yp)= 4.139 var(yres)= 24.178
percent var predicted= 14.6 %

ellipse parameters with 95% CI estimates

tide	freq	major	emaj	minor	emin	inc	einc	pha	epha	snr
MM	0.00151	1.222	1.492	-0.172	0.72	101.47	35.80	279.62	71.55	0.67
MSF	0.00282	0.752	0.945	0.419	1.36	29.50	161.20	204.10	133.89	0.63
ALP1	0.03440	0.131	0.230	-0.004	0.23	129.46	110.26	162.13	109.31	0.32
2Q1	0.03571	0.309	0.235	0.029	0.23	15.43	46.46	333.33	48.27	1.7
Q1	0.03722	0.409	0.229	-0.062	0.23	121.77	36.69	132.13	35.99	3.2
O1	0.03873	0.658	0.233	-0.195	0.23	35.01	24.59	257.29	24.91	8
NO1	0.04027	0.188	0.234	0.027	0.23	30.26	58.96	9.07	60.24	0.65
K1	0.04178	0.689	0.235	-0.082	0.23	18.80	20.12	318.06	20.83	8.6
J1	0.04329	0.277	0.236	0.064	0.23	7.86	55.39	39.36	57.60	1.4
OO1	0.04483	0.321	0.236	-0.056	0.23	170.50	48.58	52.61	50.58	1.9
UPS1	0.04634	0.162	0.233	-0.089	0.23	147.52	169.91	6.47	171.65	0.48
EPS2	0.07618	0.318	0.276	-0.109	0.27	142.09	59.67	196.54	60.27	1.3
MU2	0.07769	0.231	0.279	-0.049	0.27	151.54	71.36	10.54	73.22	0.69
N2	0.07900	2.822	0.281	-0.324	0.27	15.08	5.47	167.24	5.71	1e+002
M2	0.08051	10.495	0.281	-0.837	0.27	10.12	1.45	203.86	1.52	1.4e+003
L2	0.08202	0.363	0.268	-0.304	0.28	88.79	205.04	137.08	203.17	1.8
S2	0.08333	1.653	0.282	0.143	0.27	4.97	9.39	243.60	9.88	34
ETA2	0.08507	0.341	0.279	0.022	0.27	155.76	56.48	33.97	58.43	1.5
MO3	0.11924	0.131	0.114	0.018	0.12	95.03	59.55	231.38	54.58	1.3
M3	0.12077	0.088	0.125	-0.022	0.11	170.42	79.69	331.06	86.05	0.5
MK3	0.12229	0.133	0.125	-0.094	0.11	2.08	126.48	2.36	130.45	1.1
SK3	0.12511	0.129	0.122	0.000	0.12	28.83	54.15	51.92	56.89	1.1
MN4	0.15951	0.440	0.106	-0.287	0.10	119.20	27.11	15.99	27.37	17
M4	0.16102	0.725	0.107	-0.234	0.10	86.63	9.18	67.61	9.51	46
SN4	0.16233	0.157	0.104	-0.088	0.10	135.40	62.02	126.36	62.00	2.3
MS4	0.16384	0.230	0.106	-0.083	0.10	73.23	30.77	123.70	31.67	4.7
S4	0.16667	0.049	0.104	0.007	0.10	44.43	125.37	186.71	125.26	0.22
2MK5	0.20280	0.054	0.058	-0.031	0.08	102.54	139.32	144.06	116.93	0.87
2SK5	0.20845	0.029	0.080	-0.004	0.06	21.86	130.29	46.82	169.94	0.13
2MN6	0.24002	0.182	0.091	0.143	0.09	56.96	88.48	333.23	89.26	4
M6	0.24153	0.395	0.086	0.159	0.09	20.84	16.23	342.11	15.44	21
2MS6	0.24436	0.138	0.087	0.097	0.09	28.34	87.02	23.57	85.54	2.5
2SM6	0.24718	0.079	0.085	-0.005	0.09	175.15	66.99	223.05	61.20	0.86
3MK7	0.28331	0.080	0.050	0.006	0.05	7.09	35.78	339.51	35.46	2.6
M8	0.32205	0.062	0.041	-0.045	0.04	46.84	88.53	287.51	88.29	2.4

total var= 105.8803 pred var= 66.7202
percent total var predicted= 63.0 %

file name: C:\SCHTUFF\MASS_BAY\MBLT_REPORT\PLOTS2\c4311.txt
date: 23-May-2005
nobs = 342, ngood = 341, record length (days) = 14.25
start time: 15-Feb-1994 15:00:00
rayleigh criterion = 1.0
nodal corrections applied to amplitude and phase relative to center time

x0= 0.523, x trend= 0

var(x)= 60.6759 var(xp)= 49.0236 var(xres)= 11.6524
percent var predicted= 80.8 %

x0= -0.169, x trend= 0

var(y)= 22.9774 var(yp)= 6.1128 var(yres)= 16.8645
percent var predicted= 26.6 %

ellipse parameters with 95% CI estimates

tide	freq	major	emaj	minor	emin	inc	einc	pha	epha	snr
O1	0.03873	0.995	0.897	-0.373	0.69	92.53	55.83	58.06	68.13	1.2
K1	0.04178	0.567	0.882	-0.202	0.71	73.38	93.93	82.63	111.51	0.41
M2	0.08051	10.141	1.188	-0.895	0.84	17.96	4.73	193.00	6.65	73
M3	0.12077	0.320	0.336	-0.048	0.29	14.24	53.05	247.59	60.22	0.91
M4	0.16102	0.386	0.272	-0.180	0.41	83.22	78.67	91.39	60.76	2
2MK5	0.20280	0.160	0.162	-0.028	0.14	34.18	53.73	218.60	61.48	0.97
2SK5	0.20845	0.212	0.137	-0.121	0.17	59.62	77.57	184.46	70.46	2.4
M6	0.24153	0.506	0.219	0.157	0.22	2.55	27.60	296.97	27.19	5.3
3MK7	0.28331	0.189	0.135	0.054	0.19	69.65	63.48	102.56	47.76	2
M8	0.32205	0.202	0.142	0.006	0.09	6.39	23.62	249.48	37.41	2

total var= 83.6533 pred var= 55.1364
percent total var predicted= 65.9 %

This is a demo version of txt2pdf v.8.1
Developed by SANFACE Software <http://www.sanface.com/>
Available at <http://www.sanface.com/txt2pdf.html>

file name: C:\SCHTUFF\MASS_BAY\MBLT_REPORT\PLOTS2\c4522.txt
date: 23-May-2005
nobs = 2850, ngood = 2849, record length (days) = 118.75
start time: 14-Feb-1995 20:00:00
rayleigh criterion = 1.0
nodal corrections applied to amplitude and phase relative to center time

x0= 0.812, x trend= 0

var(x)= 92.1569 var(xp)= 64.9728 var(xres)= 27.1841
percent var predicted= 70.5 %

x0= -1.11, x trend= 0

var(y)= 54.4349 var(yp)= 8.1674 var(yres)= 46.2674
percent var predicted= 15.0 %

ellipse parameters with 95% CI estimates

tide	freq	major	emaj	minor	emin	inc	einc	pha	epha	snr
MM	0.00151	0.666	2.292	-0.012	1.97	50.68	169.47	36.02	197.18	0.085
MSF	0.00282	2.529	2.739	0.307	1.28	106.34	30.34	22.97	63.06	0.85
ALP1	0.03440	0.587	0.520	0.183	0.52	136.76	70.73	275.83	70.78	1.3
2Q1	0.03571	0.469	0.519	-0.328	0.52	53.49	184.27	201.31	184.02	0.82
Q1	0.03722	0.533	0.523	-0.031	0.52	166.07	66.25	220.55	67.03	1
O1	0.03873	0.462	0.521	0.021	0.52	40.46	74.97	243.43	75.13	0.79
NO1	0.04027	0.519	0.524	-0.181	0.52	8.39	89.43	330.09	90.33	0.98
K1	0.04178	1.388	0.517	-0.698	0.52	80.95	35.48	35.04	35.22	7.2
J1	0.04329	0.427	0.518	0.028	0.52	115.97	84.16	70.14	83.48	0.68
OO1	0.04483	1.105	0.523	-0.623	0.52	14.88	94.76	283.77	95.33	4.5
UPS1	0.04634	0.484	0.522	-0.029	0.52	30.97	120.89	196.98	121.65	0.86
EPS2	0.07618	0.362	0.548	-0.096	0.46	76.91	84.83	220.30	98.49	0.44
MU2	0.07769	0.303	0.535	-0.051	0.48	63.95	92.85	74.35	103.74	0.32
N2	0.07900	2.195	0.458	-0.625	0.55	8.75	15.61	176.77	13.36	23
M2	0.08051	10.794	0.461	-1.070	0.55	12.17	2.87	201.15	2.42	5.5e+002
L2	0.08202	0.881	0.461	-0.088	0.55	167.03	30.16	4.06	25.46	3.7
S2	0.08333	1.742	0.456	0.159	0.55	178.72	18.42	61.55	15.24	15
ETA2	0.08507	0.624	0.496	-0.537	0.52	141.49	365.58	346.58	363.24	1.6
MO3	0.11924	0.325	0.167	0.030	0.23	167.63	45.88	124.64	33.75	3.8
M3	0.12077	0.168	0.211	-0.118	0.19	125.30	154.08	90.89	160.00	0.63
MK3	0.12229	0.212	0.228	-0.082	0.17	77.19	63.74	16.19	80.00	0.87
SK3	0.12511	0.099	0.198	0.063	0.20	137.06	260.42	29.81	257.85	0.25
MN4	0.15951	0.258	0.176	-0.190	0.14	68.63	88.71	93.61	94.07	2.2
M4	0.16102	0.444	0.181	-0.302	0.14	90.85	41.76	87.05	46.12	6
SN4	0.16233	0.190	0.158	-0.011	0.16	41.36	48.16	335.84	46.55	1.4
MS4	0.16384	0.169	0.172	-0.142	0.15	61.04	237.98	126.02	243.79	0.97
S4	0.16667	0.170	0.167	-0.056	0.15	126.16	62.10	25.21	66.35	1
2MK5	0.20280	0.086	0.121	-0.043	0.12	136.40	126.24	253.96	125.27	0.5
2SK5	0.20845	0.054	0.126	0.026	0.12	126.30	196.99	293.21	207.12	0.18
2MN6	0.24002	0.245	0.110	-0.025	0.11	43.21	23.79	348.33	23.95	5
M6	0.24153	0.352	0.106	0.056	0.11	59.85	17.41	18.15	16.52	11
2MS6	0.24436	0.164	0.106	0.016	0.11	60.19	37.62	61.85	35.59	2.4
2SM6	0.24718	0.097	0.110	0.009	0.11	136.46	63.58	141.44	63.94	0.79
3MK7	0.28331	0.054	0.064	-0.006	0.07	162.87	75.49	148.13	70.74	0.69
M8	0.32205	0.093	0.051	0.020	0.05	174.66	29.95	152.90	30.25	3.3

total var= 146.5918 pred var= 73.1403
percent total var predicted= 49.9 %

file name: C:\SCHTUFF\MASS_BAY\MBLT_REPORT\PLOTS2\c4591.txt
date: 23-May-2005
nobs = 2167, ngood = 2167, record length (days) = 90.29
start time: 13-Jun-1995 17:00:00
rayleigh criterion = 1.0
nodal corrections applied to amplitude and phase relative to center time

x0= -0.509, x trend= 0

var(x)= 94.1471 var(xp)= 65.2935 var(xres)= 28.8536
percent var predicted= 69.4 %

x0= 1.33, x trend= 0

var(y)= 61.8212 var(yp)= 18.8947 var(yres)= 42.9265
percent var predicted= 30.6 %

ellipse parameters with 95% CI estimates

tide	freq	major	emaj	minor	emin	inc	einc	pha	epha	snr
MM	0.00151	1.216	2.483	0.455	1.26	68.36	85.63	289.70	138.38	0.24
MSF	0.00282	4.105	2.598	-0.341	1.00	101.95	14.36	76.07	36.53	2.5
ALP1	0.03440	0.494	0.461	0.229	0.46	45.01	91.66	325.00	91.66	1.2
2Q1	0.03571	0.443	0.457	-0.007	0.46	131.58	73.82	104.00	72.59	0.94
Q1	0.03722	0.556	0.492	-0.288	0.43	1.52	84.05	323.80	91.18	1.3
O1	0.03873	0.382	0.436	0.369	0.48	111.80	1648.40	67.11	1642.43	0.77
NO1	0.04027	0.544	0.428	-0.047	0.49	81.89	70.09	89.70	61.29	1.6
K1	0.04178	0.829	0.479	-0.428	0.44	27.77	52.83	10.05	55.33	3
J1	0.04329	0.733	0.464	0.031	0.46	137.96	43.16	78.01	43.79	2.5
OO1	0.04483	0.581	0.471	-0.111	0.45	35.66	106.49	359.94	111.05	1.5
UPS1	0.04634	0.989	0.427	-0.463	0.49	84.52	80.94	63.05	74.05	5.4
EPS2	0.07618	0.627	0.918	-0.344	0.97	78.43	146.92	194.81	142.64	0.47
MU2	0.07769	0.320	0.926	-0.109	0.96	64.78	201.81	308.16	195.81	0.12
N2	0.07900	2.005	0.972	0.091	0.92	3.25	25.37	151.83	26.92	4.3
M2	0.08051	11.117	0.966	-1.377	0.92	19.58	4.72	201.90	4.94	1.3e+002
L2	0.08202	0.792	0.971	-0.513	0.92	6.97	115.16	218.36	117.93	0.67
S2	0.08333	1.263	0.970	-0.197	0.92	11.46	43.32	248.22	45.65	1.7
ETA2	0.08507	1.161	0.957	-0.839	0.93	148.49	191.03	343.28	192.67	1.5
MO3	0.11924	0.352	0.287	0.046	0.27	152.26	50.79	102.44	54.66	1.5
M3	0.12077	0.109	0.267	0.026	0.29	60.22	155.98	264.27	146.83	0.17
MK3	0.12229	0.150	0.274	-0.032	0.28	130.62	122.27	201.75	120.01	0.3
SK3	0.12511	0.317	0.294	-0.009	0.26	179.04	51.63	42.83	59.05	1.2
MN4	0.15951	0.434	0.279	0.040	0.27	6.66	34.41	337.60	34.88	2.4
M4	0.16102	0.277	0.278	0.091	0.27	14.31	63.27	58.20	63.90	0.99
SN4	0.16233	0.233	0.278	0.008	0.27	15.03	65.48	226.71	66.29	0.7
MS4	0.16384	0.465	0.279	-0.135	0.27	3.86	37.40	109.19	37.84	2.8
S4	0.16667	0.185	0.276	-0.046	0.28	57.89	94.65	107.44	94.13	0.45
2MK5	0.20280	0.149	0.190	-0.059	0.19	47.74	98.93	60.38	97.87	0.61
2SK5	0.20845	0.168	0.176	-0.130	0.21	88.23	230.13	172.17	221.26	0.91
2MN6	0.24002	0.323	0.183	0.132	0.18	23.68	38.40	297.01	38.19	3.1
M6	0.24153	0.701	0.183	-0.043	0.18	40.94	13.76	16.92	13.74	15
2MS6	0.24436	0.207	0.184	-0.041	0.18	67.58	50.51	88.76	50.88	1.3
2SM6	0.24718	0.165	0.184	-0.017	0.18	52.94	63.10	148.93	63.29	0.8
3MK7	0.28331	0.122	0.119	-0.051	0.12	117.19	76.58	260.41	74.10	1.1
M8	0.32205	0.272	0.089	-0.089	0.09	37.59	18.88	336.19	19.40	9.4

total var= 155.9682 pred var= 84.1881
percent total var predicted= 54.0 %

file name: C:\SCHTUFF\MASS_BAY\MBLT_REPORT\PLOTS2\c4631.txt
date: 23-May-2005
nobs = 1822, ngood = 1821, record length (days) = 75.92
start time: 26-Sep-1995 18:00:00
rayleigh criterion = 1.0
nodal corrections applied to amplitude and phase relative to center time

x0= 1.1, x trend= 0

var(x)= 74.0323 var(xp)= 52.796 var(xres)= 21.2363
percent var predicted= 71.3 %

x0= -0.778, x trend= 0

var(y)= 49.2958 var(yp)= 9.0944 var(yres)= 40.2014
percent var predicted= 18.4 %

ellipse parameters with 95% CI estimates

tide	freq	major	emaj	minor	emin	inc	einc	pha	epha	snr
MM	0.00151	1.560	1.609	-0.423	1.59	45.32	65.54	260.50	66.06	0.94
MSF	0.00282	2.715	2.147	0.460	0.72	83.69	17.60	131.61	46.72	1.6
ALP1	0.03440	1.144	0.729	-0.420	0.80	179.68	60.60	186.93	56.41	2.5
2Q1	0.03571	0.456	0.758	-0.224	0.77	38.45	176.12	319.91	173.85	0.36
Q1	0.03722	0.606	0.801	-0.333	0.73	93.26	139.72	208.57	146.89	0.57
O1	0.03873	0.668	0.801	-0.274	0.73	94.62	98.39	334.07	105.10	0.7
NO1	0.04027	0.433	0.764	-0.075	0.77	136.81	139.50	7.87	138.72	0.32
K1	0.04178	0.876	0.752	-0.151	0.78	33.95	59.37	295.94	57.43	1.4
J1	0.04329	0.924	0.801	-0.367	0.73	92.56	71.22	245.82	76.24	1.3
OO1	0.04483	1.182	0.741	-0.598	0.79	23.32	132.36	96.96	127.40	2.5
UPS1	0.04634	0.456	0.729	0.020	0.80	176.16	212.46	262.90	193.62	0.39
EPS2	0.07618	0.328	0.412	0.129	0.42	86.93	95.70	249.03	93.83	0.64
MU2	0.07769	0.480	0.413	-0.154	0.42	73.78	57.77	211.31	56.70	1.4
N2	0.07900	2.383	0.423	0.133	0.41	12.77	9.60	185.35	9.84	32
M2	0.08051	9.443	0.422	-0.654	0.41	13.96	2.44	200.52	2.50	5e+002
L2	0.08202	0.367	0.423	-0.178	0.41	3.47	78.76	288.71	80.08	0.75
S2	0.08333	2.015	0.422	0.107	0.41	19.48	11.82	226.28	12.07	23
ETA2	0.08507	0.765	0.412	-0.421	0.42	88.08	84.22	344.74	83.01	3.5
MO3	0.11924	0.267	0.169	-0.125	0.17	94.19	58.18	49.70	58.99	2.5
M3	0.12077	0.122	0.167	-0.034	0.17	140.85	84.22	253.66	83.90	0.53
MK3	0.12229	0.202	0.168	0.018	0.17	58.59	51.53	359.49	52.04	1.4
SK3	0.12511	0.258	0.167	-0.020	0.17	37.53	42.07	61.42	41.84	2.4
MN4	0.15951	0.564	0.211	-0.073	0.19	17.44	18.03	128.64	20.41	7.2
M4	0.16102	0.575	0.207	-0.292	0.19	26.46	27.19	138.13	28.74	7.7
SN4	0.16233	0.228	0.186	-0.075	0.21	69.71	59.27	243.46	53.86	1.5
MS4	0.16384	0.185	0.185	-0.060	0.21	107.21	73.42	171.12	66.13	1
S4	0.16667	0.175	0.213	-0.046	0.18	3.01	67.32	220.57	77.12	0.67
2MK5	0.20280	0.053	0.096	-0.016	0.09	13.39	121.00	41.66	124.75	0.3
2SK5	0.20845	0.170	0.095	-0.032	0.09	39.91	37.63	68.50	37.88	3.2
2MN6	0.24002	0.154	0.128	-0.017	0.13	52.20	44.05	346.17	43.92	1.4
M6	0.24153	0.481	0.129	0.068	0.13	27.68	14.28	347.30	14.38	14
2MS6	0.24436	0.170	0.129	0.052	0.13	17.67	47.03	11.37	47.40	1.7
2SM6	0.24718	0.072	0.129	0.018	0.13	167.64	109.38	73.02	110.44	0.31
3MK7	0.28331	0.095	0.080	0.017	0.07	25.63	44.18	338.65	50.85	1.4
M8	0.32205	0.068	0.063	-0.008	0.05	6.63	36.70	291.66	47.31	1.2

total var= 123.3281 pred var= 61.8904
percent total var predicted= 50.2 %

file name: C:\SCHTUFF\MASS_BAY\MBLT_REPORT\PLOTS2\c4661.txt
date: 23-May-2005
nobs = 2831, ngood = 2831, record length (days) = 117.96
start time: 14-Feb-1996 14:00:00
rayleigh criterion = 1.0
nodal corrections applied to amplitude and phase relative to center time

x0= 0.255, x trend= 0

var(x)= 96.4153 var(xp)= 55.0653 var(xres)= 41.3499
percent var predicted= 57.1 %

x0= -0.438, x trend= 0

var(y)= 70.1457 var(yp)= 7.5937 var(yres)= 62.5519
percent var predicted= 10.8 %

ellipse parameters with 95% CI estimates

tide	freq	major	emaj	minor	emin	inc	einc	pha	epha	snr
MM	0.00151	1.903	1.833	0.473	1.40	87.12	47.23	150.22	59.83	1.1
MSF	0.00282	1.693	1.649	0.359	1.61	132.55	58.48	23.58	59.70	1.1
ALP1	0.03440	0.533	0.537	-0.205	0.58	37.87	97.24	156.33	91.99	0.99
2Q1	0.03571	0.672	0.627	-0.465	0.48	75.00	132.23	92.44	145.08	1.1
Q1	0.03722	0.536	0.624	-0.367	0.48	107.57	159.54	332.33	174.57	0.74
O1	0.03873	0.531	0.520	0.243	0.59	31.94	106.04	279.45	97.15	1
NO1	0.04027	0.415	0.472	0.009	0.63	170.13	103.31	39.34	77.07	0.77
K1	0.04178	1.435	0.549	-0.562	0.57	138.06	32.20	36.30	31.45	6.8
J1	0.04329	0.299	0.635	0.173	0.47	97.31	211.79	61.37	245.33	0.22
OO1	0.04483	1.322	0.624	-0.733	0.48	107.11	82.16	202.54	93.90	4.5
UPS1	0.04634	0.973	0.517	-0.602	0.60	31.11	135.67	132.93	127.39	3.5
EPS2	0.07618	0.773	0.651	-0.512	0.49	101.43	87.69	95.99	97.65	1.4
MU2	0.07769	0.355	0.657	0.050	0.48	93.22	79.45	299.79	106.48	0.29
N2	0.07900	1.586	0.526	0.372	0.62	27.77	23.34	194.44	20.05	9.1
M2	0.08051	9.762	0.494	-0.083	0.65	13.37	3.68	201.00	2.80	3.9e+002
L2	0.08202	0.569	0.621	-0.060	0.53	61.02	47.49	29.75	55.51	0.84
S2	0.08333	2.074	0.486	-0.215	0.66	173.39	18.39	46.62	13.74	18
ETA2	0.08507	1.135	0.532	-0.344	0.62	29.99	59.53	55.08	52.56	4.5
MO3	0.11924	0.372	0.208	0.099	0.22	145.57	43.31	114.35	42.02	3.2
M3	0.12077	0.142	0.202	-0.001	0.22	169.27	84.43	334.62	77.18	0.5
MK3	0.12229	0.272	0.219	-0.200	0.20	68.25	128.79	118.82	131.51	1.5
SK3	0.12511	0.092	0.219	-0.043	0.20	112.53	205.23	126.89	214.40	0.18
MN4	0.15951	0.254	0.164	-0.058	0.17	39.53	38.43	86.35	37.25	2.4
M4	0.16102	0.665	0.179	-0.209	0.15	74.03	14.56	79.98	16.55	14
SN4	0.16233	0.198	0.154	-0.044	0.18	161.42	53.34	174.64	46.71	1.6
MS4	0.16384	0.263	0.181	-0.169	0.15	92.73	68.40	103.93	73.79	2.1
S4	0.16667	0.110	0.166	-0.033	0.17	136.59	100.21	54.43	99.36	0.44
2MK5	0.20280	0.165	0.092	-0.017	0.11	101.21	40.92	278.71	34.01	3.2
2SK5	0.20845	0.126	0.098	-0.093	0.10	125.13	142.64	119.29	139.78	1.7
2MN6	0.24002	0.223	0.097	0.062	0.11	65.06	28.05	343.58	25.31	5.3
M6	0.24153	0.569	0.107	0.071	0.10	31.61	9.19	6.24	9.96	28
2MS6	0.24436	0.117	0.095	0.051	0.11	71.25	67.01	84.23	60.61	1.5
2SM6	0.24718	0.145	0.112	-0.068	0.09	174.51	53.06	242.93	59.60	1.7
3MK7	0.28331	0.048	0.075	0.021	0.07	50.10	123.22	38.62	124.33	0.4
M8	0.32205	0.122	0.054	-0.044	0.06	149.23	27.88	220.12	27.22	5

total var= 166.5609 pred var= 62.6591
percent total var predicted= 37.6 %

file name: C:\SCHTUFF\MASS_BAY\MBLT_REPORT\PLOTS2\c4681.txt
date: 23-May-2005
nobs = 2685, ngood = 2685, record length (days) = 111.88
start time: 11-Jun-1996 16:00:00
rayleigh criterion = 1.0
nodal corrections applied to amplitude and phase relative to center time

x0= -0.191, x trend= 0

var(x)= 95.1227 var(xp)= 39.357 var(xres)= 55.7657
percent var predicted= 41.4 %

x0= 1.73, x trend= 0

var(y)= 109.3571 var(yp)= 25.126 var(yres)= 84.2311
percent var predicted= 23.0 %

ellipse parameters with 95% CI estimates

tide	freq	major	emaj	minor	emin	inc	einc	pha	epha	snr
MM	0.00151	4.814	2.642	-0.016	1.36	91.82	16.23	195.04	31.44	3.3
MSF	0.00282	4.473	2.605	-2.088	1.43	78.60	30.78	328.25	44.05	2.9
ALP1	0.03440	0.772	0.581	0.019	0.50	73.26	46.54	270.18	54.39	1.8
2Q1	0.03571	0.526	0.562	-0.369	0.52	121.69	175.57	129.57	180.62	0.87
Q1	0.03722	0.444	0.586	0.058	0.49	81.14	80.93	352.15	96.17	0.57
O1	0.03873	0.607	0.588	-0.194	0.49	91.35	67.54	97.73	78.64	1.1
NO1	0.04027	1.068	0.567	-0.418	0.51	61.59	38.26	280.90	41.22	3.5
K1	0.04178	1.843	0.511	-1.063	0.57	152.14	33.71	84.15	31.99	13
J1	0.04329	1.286	0.588	-0.962	0.49	91.19	82.45	230.96	86.88	4.8
OO1	0.04483	1.492	0.571	-0.754	0.51	115.63	62.06	323.51	66.49	6.8
UPS1	0.04634	1.265	0.572	0.371	0.51	114.78	54.11	97.24	59.90	4.9
EPS2	0.07618	0.947	0.958	-0.386	0.82	29.83	66.48	128.31	74.22	0.98
MU2	0.07769	0.993	0.860	-0.560	0.92	51.80	86.07	159.35	82.95	1.3
N2	0.07900	2.627	1.004	0.069	0.76	14.36	16.04	167.61	21.06	6.8
M2	0.08051	7.226	1.019	1.248	0.75	1.90	6.04	192.02	8.10	50
L2	0.08202	0.983	0.794	-0.755	0.98	66.66	150.37	245.56	142.48	1.5
S2	0.08333	1.067	1.018	-0.073	0.75	176.08	40.54	40.72	55.12	1.1
ETA2	0.08507	0.857	0.932	-0.501	0.85	36.28	173.59	358.25	181.51	0.85
MO3	0.11924	0.344	0.284	0.047	0.28	49.15	57.21	87.75	57.61	1.5
M3	0.12077	0.252	0.276	-0.057	0.29	165.99	66.98	354.60	64.39	0.83
MK3	0.12229	0.331	0.280	-0.027	0.29	32.08	54.47	51.88	53.32	1.4
SK3	0.12511	0.382	0.289	-0.039	0.28	88.63	47.58	120.16	49.94	1.7
MN4	0.15951	0.460	0.215	0.044	0.21	17.62	24.89	95.18	25.23	4.6
M4	0.16102	0.914	0.216	-0.304	0.21	15.82	14.71	99.50	14.88	18
SN4	0.16233	0.130	0.216	-0.061	0.21	178.68	126.58	212.32	127.98	0.37
MS4	0.16384	0.580	0.213	-0.391	0.21	55.04	45.29	89.85	45.19	7.4
S4	0.16667	0.244	0.214	-0.136	0.21	44.55	83.45	143.19	83.47	1.3
2MK5	0.20280	0.046	0.123	0.014	0.16	177.18	231.53	35.71	190.18	0.14
2SK5	0.20845	0.169	0.123	-0.087	0.16	174.57	88.83	25.15	77.80	1.9
2MN6	0.24002	0.432	0.156	-0.093	0.16	39.01	19.77	321.79	19.81	7.7
M6	0.24153	0.603	0.156	-0.101	0.16	39.57	13.83	15.48	13.86	15
2MS6	0.24436	0.293	0.156	-0.008	0.15	24.55	28.26	62.38	28.47	3.5
2SM6	0.24718	0.151	0.155	0.003	0.16	133.82	57.08	38.98	57.05	0.95
3MK7	0.28331	0.097	0.111	-0.049	0.11	146.28	97.94	343.68	99.47	0.77
M8	0.32205	0.106	0.072	-0.055	0.07	84.48	52.33	277.04	52.39	2.1

total var= 204.4798 pred var= 64.483
percent total var predicted= 31.5 %

file name: C:\SCHTUFF\MASS_BAY\MBLT_REPORT\PLOTS2\c4771.txt
date: 23-May-2005
nobs = 2624, ngood = 2623, record length (days) = 109.33
start time: 01-Oct-1996 17:00:00
rayleigh criterion = 1.0
nodal corrections applied to amplitude and phase relative to center time

x0= 1.8, x trend= 0

var(x)= 66.9125 var(xp)= 44.2644 var(xres)= 22.6481
percent var predicted= 66.2 %

x0= -0.812, x trend= 0

var(y)= 53.3631 var(yp)= 15.3263 var(yres)= 38.0368
percent var predicted= 28.7 %

ellipse parameters with 95% CI estimates

tide	freq	major	emaj	minor	emin	inc	einc	pha	epha	snr
MM	0.00151	2.614	2.179	0.791	1.98	119.74	50.37	208.54	54.53	1.4
MSF	0.00282	1.159	2.203	0.211	1.95	64.90	101.99	309.63	114.15	0.28
ALP1	0.03440	0.475	0.377	-0.126	0.45	177.15	74.65	342.53	64.65	1.6
2Q1	0.03571	0.884	0.445	-0.063	0.38	94.73	31.20	49.41	36.72	3.9
Q1	0.03722	0.340	0.403	-0.135	0.42	142.87	112.70	54.26	109.08	0.71
O1	0.03873	0.645	0.378	-0.160	0.44	7.39	53.21	277.00	46.15	2.9
NO1	0.04027	0.411	0.426	-0.004	0.40	123.74	55.77	243.07	59.43	0.93
K1	0.04178	1.014	0.405	-0.464	0.42	38.69	37.18	280.44	36.31	6.3
J1	0.04329	0.401	0.441	-0.007	0.38	73.81	68.21	63.76	78.51	0.83
OO1	0.04483	0.915	0.445	-0.556	0.38	85.82	88.28	289.62	95.20	4.2
UPS1	0.04634	0.958	0.432	0.069	0.39	117.10	46.86	81.38	51.59	4.9
EPS2	0.07618	0.401	0.335	-0.198	0.30	172.88	65.10	305.16	69.32	1.4
MU2	0.07769	0.264	0.327	-0.080	0.31	28.84	75.41	91.08	79.08	0.65
N2	0.07900	1.733	0.327	-0.037	0.31	30.46	9.88	172.66	10.40	28
M2	0.08051	9.691	0.329	-0.387	0.31	26.38	1.76	202.83	1.88	8.7e+002
L2	0.08202	0.217	0.330	-0.182	0.31	156.99	357.95	154.07	362.58	0.43
S2	0.08333	1.422	0.323	-0.316	0.31	36.42	13.67	223.74	14.06	19
ETA2	0.08507	0.949	0.333	0.305	0.30	13.18	36.58	165.44	39.54	8.1
MO3	0.11924	0.123	0.190	0.039	0.14	78.04	96.07	195.48	119.78	0.42
M3	0.12077	0.141	0.173	-0.040	0.16	130.08	71.70	319.85	74.79	0.66
MK3	0.12229	0.069	0.179	0.035	0.16	122.37	221.32	327.12	238.15	0.15
SK3	0.12511	0.208	0.191	-0.126	0.14	97.15	90.69	267.40	103.37	1.2
MN4	0.15951	0.215	0.164	-0.101	0.16	37.50	56.40	75.33	57.42	1.7
M4	0.16102	0.629	0.154	-0.001	0.17	76.88	14.37	107.77	13.04	17
SN4	0.16233	0.151	0.168	0.042	0.16	156.03	64.81	342.79	68.96	0.81
MS4	0.16384	0.304	0.156	-0.070	0.17	65.59	33.06	150.68	31.01	3.8
S4	0.16667	0.223	0.154	0.083	0.17	75.19	53.65	88.30	49.95	2.1
2MK5	0.20280	0.079	0.091	-0.041	0.10	103.21	118.82	7.65	110.83	0.76
2SK5	0.20845	0.117	0.093	-0.015	0.10	63.03	57.38	52.66	53.09	1.6
2MN6	0.24002	0.219	0.088	0.145	0.08	67.88	39.93	329.01	42.46	6.1
M6	0.24153	0.332	0.079	0.212	0.09	34.15	25.72	330.41	24.85	18
2MS6	0.24436	0.153	0.090	0.037	0.07	87.05	28.02	52.84	34.16	2.8
2SM6	0.24718	0.037	0.088	-0.002	0.08	112.73	113.33	37.55	132.35	0.18
3MK7	0.28331	0.034	0.059	0.001	0.06	81.30	110.10	268.86	101.10	0.33
M8	0.32205	0.066	0.040	0.004	0.04	40.04	29.52	266.07	30.02	2.7

total var= 120.2756 pred var= 59.5907
percent total var predicted= 49.5 %